

AUTHORISED STOCKIST :

hager

PRICE LIST

W.E.F : 1ST MAY 2026

MANIBHADRA

ELECTRICALS PVT. LTD.

4, Shahviri Bldg., 37/41, Picket Road, MUMBAI-400 002. • TALKFREE : *7005 /*7122
Tel. : 96198 73073 • 70391 56555 • 4606 8506 • 2207 1314 • 7168 • 4276 • Website : www.manibhadra.in

FOR LEGRAND, POLYCAB, SCHNEIDER, L&T & BRIMSON

FOR POLYCAB, HAGER, FINOLEX, HAVELLS, GI CABLE TRAY

9920873073 legrand099@gmail.com

98198 73073 info@manibhadra.in

MCB MINIATURE CIRCUIT BREAKER - TYPE NC - N 10KA confirms to IEC 898 - 1995							
RATING	0.5-4A	6A-32A	40, 50, 63 A	MODULE	80A	100A	125 A
SP (1 MOD)	717	448	1019	1.5 MODULE ➡	3512	3905	4256
DP (2 MOD)	2052	1516	2394	3 MODULE ➡	7775	8209	8946
TP (3 MOD)	3032	2428	3694	4.5 MODULE ➡	12230	12905	14177
FP (4 MOD)	3773	3295	4697	6 MODULE ➡	-----	-----	18432

ENCLOSURES & DISTRIBUTION BOARDS							
VISION+ SPN & TPN DISTRIBUTION BOARDS, WITH BUSBAR, WIRE SETS, BLANKING PLATES, CABLE TIES, IDENTIFICATION LABELS, EARTH BAR & INSULATED NEUTRAL BAR AS STANDARD. TPN Provision to Mount upto 8 module incomer (RCBO, RCCB, ISOLATOR, MCB) & SP MCB'S as outgoing.							
Description	Total No. of Modules SPN	One Way Enclosures VVMC (IP-30)	Single Door DB'S VVSC (IP-30)	Double Door DB'S PLAIN VVSD (IP-43)	Total No. of Modules TPN	Single Door DB'S VYTCH (IP-30)	Double Door DB'S PLAIN VYTDH (IP-43)
2 WAY	2	1109.00	-----	-----	-----	-----	-----
4 WAY	4	1109.00	-----	2699.00	4+12	5253.00	6373.00
4 WAY	--	-----	-----	-----	8+12	5757.00	6642.00
6 WAY	6	1915.00	2038.00	3035.00	8+18	7090.00	8187.00
8 WAY	8	1915.00	2565.00	3360.00	8+24	8333.00	9834.00
12 WAY	12	-----	3035.00	4032.00	8+36	12354.00	14706.00
16 WAY	16	-----	3741.00	5130.00	8+48	-----	18234.00
18 WAY	18	-----	4290.00	5622.00	-----	-----	-----


NOVELLO TPN DISTRIBUTION BOARDS, WITH WIRE SETS, BUSBARS, NETURAL BARS, EARTH BAR, BLANKING PLATES, CABLE TIES & IDENTIFICATION LABELS AS STANDARD. Provision to Mount upto 8 module Incomer, 2 Module Subincomer & SP MCB's as outgoing.							
VYH DH DOUBLE DOOR DB'S (IP-43)		RATE		VYP DH DOUBLE DOOR DB'S (IP-43)		RATE	
4+2 Way, 8+6+12 Modules		12544.00		6+2 Way, 8+6+18 Modules		14739.00	
6+2 Way, 8+6+18 Modules		14784.00		8+2 Way, 8+6+24 Modules		17382.00	
8+2 Way, 8+6+24 Modules		20384.00		10+2 Way, 8+6+30 Modules		18558.00	
12+2 Way, 8+6+36 Modules		24472.00		12+2 Way, 8+6+36 Modules		19544.00	
-----		-----		16+2 Way, 8+6+48 Modules		21235.00	
Provision upto 3 Pole & 4 Pole upto 160 AMP. ▢				12+2 Way, MCCB +6+36 Modules		20339.00	

NOVELLO VERTICLE TPN DIST. BOARDS • (IP-43)				RATE	
VYV DL DOUBLE DOOR DB'S		RATE	VYV DM DOUBLE DOOR DB'S		RATE
4 Way, 12+12 Modules		16940.00	4 Way, MCCB + 12 Modules		20976.00
6 Way, 12+18 Modules		18941.00	6 Way, MCCB + 18 Modules		23828.00
8 Way, 12+24 Modules		20792.00	8 Way, MCCB + 24 Modules		26232.00
12 Way, 12+36 Modules		29268.00	12 Way, MCCB + 36 Modules		35087.00
16 Way, 12+48 Modules		37237.00	16 Way, MCCB + 48 Modules		41642.00
					55614.00


GOLF ENCLOSURES (IP40)			VECTOR ENCLOSURES (IP65)	
FLUSH MOUNTING	SURFACE MOUNTING	RATE	DESCRIPTION	RATE
VF108PJ/TJ	VS108PJ/TJ	3257.00	1 ROW 3 MODULES VE103 L	3800.00
VF112PJ/TJ	VS112PJ/TJ	4130.00	1 ROW 6 MODULES VE106 L	4720.00
VF118PJ/TJ	VS118PJ/TJ	5239.00	1 ROW 10 MODULES VE110 L	6573.00
VF212PJ/TJ	VS212PJ/TJ	6325.00	1 ROW 12 MODULES VE112 L	7800.00
VF218PJ/TJ	VS218PJ/TJ	6549.00	1 ROW 18 MODULES VE118 L	9287.00
VF312PJ/TJ	VS312PJ/TJ	8260.00	2 ROW 24 MODULES VE212 L	10573.00
VF412PJ/TJ	VS412PJ/TJ	10113.00	2 ROW 36 MODULES VE218 L	15647.00

NOVELLO FLEXI DB (VYF D) (IP-43)				
2 ROW, 28 MOD.	VYF214D	9162.00	3 ROW 36 MODULES VE312 L	14325.00
3 ROW, 42 MOD.	VYF314D	11323.00	4 ROW 48 MODULES VE412 L	20308.00
4 ROW, 40 MOD.	VYF410D	11144.00	3 ROW 54 MODULES VE318 L	23175.00
4 ROW, 56 MOD.	VYF414D	11984.00		
4 ROW, 64 MOD.	VYF416D	14134.00		

Less Discount : _____ %



MCB 10KA




VYS12DZ




VYT08DHZ

Less Discount : _____ %




VYP10DHZ

Less Discount : _____ %



VYV08DMZ



Less Discount : _____ %

RCCB RESIDUAL CURRENT CIRCUIT BREAKER IEC 1008 (ELCB)							
RATING (A)	2 POLE (2 MODULE)			RATING	4 POLE (4 MODULE)		
SENSITIVITY →	30 mA	100 mA	300 mA	SENSITIVITY →	30 mA	100 mA	300 mA
25A	5027	5632	5654	25A	7102	7399	7547
40A	5882	6350	6555	40A	6954	7444	7684
63A	7114	7684	7741	63A	7877	8869	8869
100A	19334	19334	19334	100 A	19517	19517	19825

NOVELLO PLUG & SOCKET OUTLETS (WITHOUT MCB's)								
METAL						PLASTIC (IP:54)		
DESCRIPTION	VYA	RATE	DESCRIPTION	VYA	RATE	DESCRIPTION	VYB	RATE
10A 2 PIN (1MOD.)	110C	2509	20A 3 PIN (4 MOD.)	420C	4379	16A 3 PIN (4 MOD.)	416C	4077
20A 2 PIN (1MOD.)	120C	2610	32A 3 PIN (4 MOD.)	432C	5734	32A 4 PIN (8 MOD.)	432C	4402
20A 2 PIN (2 MOD.)	220C	2845	63A 5 PIN (8 MOD.)	863C	19835	32A 5 PIN (8 MOD.)	832C	8008
VZ131I - 20A+2P+E-PLUG		339	VZ141I - 20A+2P+E-SKT		382	63A 5 PIN (8 MOD.)	863C	20160
VZ132I - 20A+3P+E-PLUG		477	VZ142I - 20A+3P+E-SKT		519	VZ133I/VZ143I-32A+3P+E Plug/Skt.		848

AUTOMATION & CONTROL DEVICES

RCBO RCD + MCB MODULES for overload, short-circuit & earth leakage protection, with earth fault indicator.										
2P - 4 MODULE				4P - 6 / 7 MODULE			RCBO's 2P - 2 MODULE			
RATING	30 mA	100 mA	300 mA	30 mA	100 mA	300 mA	RATING	30 mA	100 mA	300 mA
6 A	6202	7718	-----	-----	-----	-----	6 - 25A	7604	7763	8048
10A	6430	7718	-----	-----	-----	-----	32A	8003	7980	8470
16A	5939	7421	7672	8368	9428	9724		9485	9701	9542
25A	6122	7786	8208	8949	9656	10032	P032F One Module Blank Plate Rate : Rs. 46/-			
32A	6498	7604	7934	8630	9416	9701				
40A	7729	8550	8789	8755	9542	9576				
63A	9884	10579	10750	10784	11354	11560				

CHANGEOVER SWITCH			ISOLATING SWITCHES (ISOLATORS) AC 22A Devices used as switch disconnectors electrical circuit						
2 WAY CENTRE OFF			RATING	25A	32A	40A	63A	100A	125A
AMP.	2 P	4 P	DP	680	740	863	1150	1645	-----
25 A	3456	-----	TP	-----	1320	1576	1840	2197	-----
40-A	5270	9489	FP	-----	1470	1932	2151	2691	2620
63-A	5594	9331							

TIME SWITCHES ELECTROMECHANICAL Used to control lighting, ventilation circuits base upon real time.		
QUARTZ 1 CHANNEL 1 DAILY DIAL (3 MOD)	EHN 111	3940

PRESENCE AND MOVEMENT DETECTORS				
MOVEMENT DETECTOR	EE 804A / EE 805A	5275	EER 503 / 513	11230
PRESENCE DETECTOR	EER 501	10270	EER 505 / 515	11185
			EER 518	12690

INDICATING LIGHTS (LED)			
SVN 121 / 122 / 123 / 124	1199.00	SVN 222	2246.00

CONTACTORS • FOR REMOTE SWITCHING AND CONTROL OF POWER CIRCUIT							
2NO, 25A,	1 Modules	ESC225	3164.00	4NO, 25A,	3Modules	ESC425	5033.00
1NO+1NC, 25A,	1 Modules	ESC227	3510.00	4NO 40A,	3 Modules	ESC440	9061.00
2NO, 40A,	3 Modules	ESC240	5616.00	3NO+1NC 40A,	3 Modules	ESC443	8197.00
2NO, 63A,	3 Modules	ESC263	7657.00	4NO 63A,	3 Modules	ESC463	11005.00
3NO, 40A,	3 Modules	ESC340	7679.00	AUXILLARY 1 NO + 1NC	ESC080		3067.00

AUXILLIARIES & ACCESSORIES FOR MCB's, RCCB's & RCBO's		
Auxiliary Contactors (0.5) Module	MZ201	1781.00
Trip alarm contact (1NO+1NC) 0.5 module (For MCBs only)	MZ202	2106.00
Shunt trip 230V AC, 1 module	MZ203	5141.00
Under Voltage release 48V DC/230V AC 1 MoD	MZ206	4402.00
Over Voltage release 230V AC/Uc> 280V 1 Mod	MZ209	5186.00
Over Voltage + Low Voltage	MZ215	6989.00
Over Voltage release 230V AC/U>275V AC 3 Phase in Mod, Suitable for 3PH+N	MZ216	9341.00
Auxiliary + Alarm Switch (For RCCB) 1 Module	CZ001	3371.00

BUS BARS, NEUTRAL BARS, FUSE & OTHER ACCESSORIES FOR DB's					
1 Pole, 1 Module Step, 56 Module	KD163B	2311.00	L38 fuse carriers 690V-32A	LSN501	475.00
3 Pole, 3 Module Step, 57 Module	KD363B	5564.00	Fuse 1A to 20A 500VAC		97.00
63 A din rail mounting neutral link	km14N	620.00	Fuse 32A 400VAC		108.00

AUTHORISED STOCKIST :

:hager

PRICE - LIST

W.E.F. : 1ST MAY 2026



DOUBLE POLE


RCCB • ELCB





VYA120CZ



RCBO



ISOLATORS



CONTACTORS

Less Discount : _____%

MANIBHADRA
ELECTRICALS PVT. LTD.
4, Shahviri Bldg.,
37/41, Picket Rd, MUMBAI-2.
Tel.: 22077168 • 1314 • 4276
Hotline : *7005 • *7122

ACB DRAW OUT & FIXED TYPE AIR CIRCUIT BREAKER 800-5000A								
RATING AMP.	3 POLE (50kA)				4 POLE (50kA)			
	MDO	MF	MDO	MF	MDO	MF	MDO	MF
630/800	278671	207805	287819	216953	349783	264204	358932	273353
1000	292763	227471	301911	236620	366454	286953	375602	296101
1250	325976	261455	335124	270603	405894	126650	415042	335798
1600	370488	290216	379636	299365	452054	375153	461202	384301
2000	516757	389095	525905	398243	634628	508496	643776	517645

PROTECTION DEVICES					CHANGEOVER-4 POLE			
POWER CONTACTOR - TP					AMP.	Manual Open	MCOS Encl.	Motorised ATS
FRAME	AC3 RATING (A)	COIL VOLTAGE	CONTACTS	RATE	63A	7761	9876	-----
HWC-09	9A	110V/230V/415V	1NO+1NC	1333	100A	11336	13018	-----
HWC-12	12A	110V/230V/415V	1NO+1NC	1487	125A	17244	18702	72792
HWC-16	16A/18A	110V/230V/415V	1NO+1NC	1711	160A	18922	20487	89300
HWC-22	22A	110V/230V/415V	1NO+1NC	2419	250A	31675	32137	104933
HWC-25	25A	110V/230V/415V	1NO+1NC	2419	400A	46946	49166	129179
HWC-32	32A	110V/230V/415V	1NO+1NC	4673	630A	57716	69084	169495
HWC-40	40A	110V/230V/415V	1NO+1NC	7351	800A	102532	-----	254523
HWC-50	50A	110V/230V/415V	1NO+1NC	9086	MCB MINIATURE CIRCUIT BREAKER TYPE ND-N 10kA			
HWC-65	65A	110V/230V/415V	1NO+1NC	12437	Rating	0.5-4A	6-32A	40-63A
HWC-75	75A	110V/230V/415V	1NO+1NC	15977	SP (1Mod)	728	627	1120
HWC-85	85A	110V/230V/415V	1NO+1NC	15977	DP (2Mod)	2086	1550	2554
HWC-100	100A	110V/230V/415V	1NO+1NC	20131	TP (3Mod)	3124	2519	3853
HWC-160	160A	110V/230V/415V	2NO+2NC	31978	FP (4Mod)	3842	3340	4982
HWC-185	185A	110V/230V/415V	2NO+2NC	34114	APTIS+			
HWC-225	225A	110V/230V/415V	2NO+2NC	37040	Enclosures		SPN Double Door	
HWC-265	265A	110V/230V/415V	2NO+2NC	47507	VYM02CN	795	VYS04DN	2162
HWC-330	330A	110V/230V/415V	2NO+2NC	61962	VYM04CN	795	VYS06DN	2498
HWC-400	400A	110V/230V/415V	2NO+2NC	78777	VYM06CN	1299	VYS08DN	2699
HWC-630	630A	110V/230V/415V	2NO+2NC	109917	VYM08CN	1299	---	---

MPCB MOTOR PROTECTION CIRCUIT BREAKER			TPN Double Door		VTPN MCB INCOM.	
FRAME	OVERLOAD PROTECTION RANGE	RATE	VYT04DHN	5309	VV04DLN	13432
FR-25X	0.1A to 0.16A / 13A to 18A / 17 to 25A	2195	VYT06DHN	6608	VV06DLN	15100
FR-38	23A to 32A / 30A to 38A	3823	VYT06DHN	7930	VV08DLN	17515
OLR OVER LOAD RELAY			VYT12DHN	12208	VV12DLN	23748
FRAME	OVERLOAD PROTECTION RANGE	RATE	VYT16DHN	15310	VV16DLN	27278
FR-25	Upto 17A - 25A	2195	VTPN MCCB INCOM.			
FR-25	Upto 23A - 38A / 30A -38A	3823	VV04DMN	16537		

SURGE PROTECTION DEVICES				FLEXY DB	
DESCRIPTION	CHARACTERISTICS	CAT NO.	RATE	2R, 28mod	VYF214DN 6854
Type 1 + 2 Products-Main Protection				3R, 42mod	VYF314DN 8210
Imax 12.5kA (Remote Signalling)	2P T1 +T2 TNS/TT	SPL212R	18481	4R, 40mod	VYF410DN 8926
Imax 12.5kA (Remote Signalling)	4P T1 +T2 TNS/TT	SPL412R	36996	4R, 56mod	VYF414DN 9598
Type 2 Products-Main Protection				4R, 56mod	VYF416DN 11323
Imax 20kA	2P T2 TNS/TT	SPL220	10247		
Imax 20kA	4P T2 TNS/TT	SPL420	19481		
Imax 40kA	2P T2 TNS/TT	SPL240	12087		
Imax 40kA	4P T2 TNS/TT	SPL440	23736		
Imax 65kA (Remote Signalling)	2P T2 TNS/TT	SPL265R	20666		
Imax 65kA (Remote Signalling)	4P T2 TNS/TT	SPL465R	41032		

AUTHORISED STOCKIST :

:hager

PRICE - LIST

W.E.F. : 1ST MAY 2026



Power Contactor



Power Contactor



MPCB



Overload Relay



**Surge Protection
Devices**

Less Discount : _____%

MANIBHADRA ELECTRICALS PVT. LTD.

4, Shahviri Bldg.,
37/41, Picket Rd, MUMBAI-2.
Tel.: 22077168 • 1314 • 4276
Hotline : *7005 • *7122

MCCB RATING AMPS	kA	X160 Frame MCCB (Z) FIXED OVERLOAD / FIXED SHORT CIRCUIT		X160 Frame MCCB (U) ADJUSTABLE OVERLOAD / FIXED SHORT CIRCUIT	
		3 Pole	4 Pole	3 Pole	4 Pole
32A TO 40A HDA	18kA	7540.00	8674.00	8497.00	11118.00
63A TO 100A HDA	18kA	7830.00	9007.00	8497.00	10962.00
125A HDA	18kA	9204.00	9984.00	10109.00	11617.00
160A HDA	18kA	10324.00	10878.00	11700.00	12927.00
32A TO 40A HHA	25kA	9360.00	12761.00	10670.00	14425.00
63A/80A/100A HHA	25kA	9225.00	13252.00	10670.00	15721.00
125A HHA	25kA	12917.00	15769.00	12823.00	18492.00
160A HHA	25kA	15368.00	20073.00	17446.00	20457.00
200A HHB	25kA	20524.00	21165.00	-----	-----
250A HHB	25kA	25779.00	27125.00	-----	-----

AUTHORISED STOCKIST :

:hager

PRICE-LIST

W.E.F. : 1ST MAY 2026



RATING AMPS HNB	kA	X250 Frame MCCB FIXED OVERLOAD / SHORT CIRCUIT		NOVELLO MCCB ENCLOSURES		Less Discount : %
200A	40kA	24875.00	36058.00	3 Pole & 4 Pole X160 Frame MCCB VYM160HM / VYM161HM		4245.00
250A	40kA	34006.00	40926.00	3 Pole & 4 Pole X250 Frame MCCB VYM250HM / VYM251HM		11077.00

H3+ MCCB				Description	X160	LP	X250	LP	H1000	LP
RATING AMPS	kA	P630 Frame MCCB Adjustable Overload / Short Circuit		Auxiliary Contact	HXA021H	1693	HXA021H	1693	HXC021H	1829
400A HNW	40kA	65431.00	74697.00	Alarm Contact	HXA024H	1693	HXA024H	1693	HXC024H	1829
630A HNW	40kA	69165.00	89666.00	Shunt 230V AC	HXA004H	3501	HXA004H	3501	HXC004H	4253
RATING AMPS	kA	H1000 / H1600 Frame MCCB Adjustable Overload / Short Circuit		UnderVoltage - 240V AC	HXA014H	4347	HXA014H	4347	HXE014H	3741
800A	50kA	148753.00	185576.00	UnderVoltage - 415V AC	HXA015H	4285	HXA015H	4285	HXE031H	8736
1000A	50kA	176548.00	234635.00	Direct Rotary Handle	HXA030H	2153	HXB030H	2268	-	-
H-3+ MCCB'S THERMAL MAGNETIC RELEASE 25 KA				Extended Rotary Handle	HXA030H	2957	HXB031H	3354	-	-
				Spreaders - 3P	HYA014H	815	HYB011H	930	-	-
				Speaders - 4P	HYA015H	1097	HYB012H	1275	-	-
				Phase barriers - 3P / 4P	HYB019H	314	HYB019H	314	-	-
				DIN Rail Adaptor	HYA033H	606	-	-	-	-
				Motor Operator 240VAC	-	-	HXB042H	34788	HXE042H	56430
				RATING (HHS DR)		3 POLE	4 POLE			
63A P160		10830	-----							

100A P160	10680	12790	H3+ MCCB ACCESSORIES						
125A P160	17120	-----	Description	P160	LP	P250	LP	P630	LP
160A P160	-----	23430	Auxiliary Contact	HXA021H	1693	HXA021H	1693	HXA021H	1693
160 H3 + 3 & 4P Enclosure	4480	4480	Alarm Contact	HXA024H	1693	HXA024H	1693	HXA024H	1693
250 H3 + 3 & 4P Enclosure	11704	11704	Shunt 230V AC	HXA004H	3501	HXA004H	3501	HXA004H	3501
AUTOMATIC CHANGEOVER WITH CURRENT LIMITER SPN / TPN VERSION			UnderVoltage - 240V AC	HXA014H	4347	HXA014H	4347	HXA014H	4347
			UnderVoltage - 415V AC	HXA015H	4285	HXA015H	4285	HXA015H	4285
			Direct Rotary Handle	HXS030H	1714	HXT030H	1871	HXW030H	2863
			Extended Rotary Handle	HXS031H	2738	HXT031H	2978	HXW031H	5403
			Spreaders - 3P	HYS011H	930	HYB011H	930	HXW031H	2424
			Speaders - 4P	HYS012H	1212	HYB012H	1275	HYD015H	2874
			Phase barriers - 3P / 4P	HYS019H	575	HYT019H	585	HYW019H	1244
			DIN Rail Adaptor	-	-	-	-	-	-
			Motor Operator 240VAC	-	-	HXT042H	34401	HXW042H	54821

H2 MCCB									
HDP (18ka)	Frame	TP	FP	HHP (25 ka)	TP	FP	HGQ (36 KA)	TP	FP
40A,63A,80A,100A	N125	8406	9099	40A,63A,80A,100A	9974	12582	40A,63A,80A,100A,125A	11737	13514
125A	N125	8787	9589	125A	9974	15266	160A (HGR)	16969	20363
160A (HDQ)	N160	9776	10410	160A (HHQ)	14585	19715	200A (HHR)	24047	25249
200A (HDR)	N250	19915	20146	200A (HHR)	22902	23168	250A (HHR)	29808	31895
250A (HDR)	N250	24686	25991	250A (HHR)	28389	29890	320A (HGU)	32789	38063
							400A (HGU)	32789	38063
							630A (HGU)	37382	45534

H2 MCCB SPARES									
Description	Frame Size/N125	L.P	Frame Size/N160	L.P	Frame Size/N250	L.P	Frame Size/N400/N630	L.P	
Aux contact 1CO left/Right	HXP021LN /RN	960	HXQ021LN /RN	960	HXR021LN/ RN	1170	HXU021LN/RN	1170	
AL contact 1CO Left/Right	HXP024LN	960	HXQ024LN	960	HXR024LN /RN	1170	HXU024LN	1170	
Aux+AL contact 1CO Left	HXP023LN	1650	HXQ023LN	1650	HXR023LN	2010	HXU023LN	2010	
SHT (230V AC) Left/Right	HXP004LN /RN	1350	HXQ004LN/RN	2890	HXR004LN/RN	2065	HXU004LN /RN	3360	
UVR (230V AC)/(415V AC) Left	HXP014LN	4095	HXU014LN/15LN	4050					
UVR (230V AC) (415V AC) Right	HXP014RN/15RN	4095	HXQ014RN/15RN	4050	HXR014RN/15RN	4050			
Extended Rotary Handle	HXP031HN	2000	HXQ031HN	2000	HXR031HN	2000	HXU031HN	3115	
Spreader 3P	HYP014HN	315	HYQ014HN	315	HYR014HN	815	HYU014HN	2290	
Spreader 4P	HYP015HN	995	HYP015HN	820	HYR015HN	1040	HYU015HN	2755	
Phase barriers	HXP019HN	195	HXP019HN	195	HXR019HN	195	HXU019HN	195	

TERMS : (1) GST extra • (2) This price list is subject to change without any prior notice. (3) This cancels all our previous price lists.